

WYRE COUNCIL FLOOD FORUM – ISSUES & ACTIONS LOG

New / Urgent issue **R**

Ongoing issue **A**

Completed issue **G**

Updated text in bold/red

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
22/02 Feb 2022	Green Wood off A585	- Surface water discharge from Green Wood to be restricted to prevent excessive flow to Ainspool Lane. Potential to install penstock to maintain surface water within the wood.	Churchtown	LCC Highways	WC		UPDATED 26/02/2023	- Works planned to be undertaken in June in conjunction with FLAG - Works on hold following discussion with landowner. - WBC to write to landowner for consent - Permission refused as Wood is now up for sale. New owner to be approached once the sale has gone through.	A
23/02 26Feb23	Watercourse behind properties on Southworth Way, Northumberland Ave and Milburn Avenue.	- Watercourse takes local surface water drainage and is in need of maintenance. Some properties are owned by housing association – owner to be identified and works undertaken to clear watercourse along full length.	Cleveleys	WBC	LCC/EA		New 26 Feb 2023	- WBC to undertake land registry search to establish owners/responsible parties to undertake maintenance.	R
19/35	Gubberford Lane, Garstang Query re surface water drain connecting to septic tank	- UU to speak with customer and provide feedback	Garstang	LCC Highways			UPDATED 26/08/2022	Ongoing: - UU have visited the site and discussed with complainant. Not a public sewer so no further UU involvement. - LCC (Highways) to undertake investigation of road gullies to establish if misconnected. - No further UU involvement - Works passed to LCC to investigate.	A
22/04 Mar 2022	Flooding to High Street, Garstang.	- Flooding on highway to be investigated. Suspected outfall to River Wyre adjacent to High Street car park to be checked for issues.	Garstang	LCC Highways	WC		UPDATED 26/02/2023	- LCC to check tidal flap at outfall to River Wyre and ensure that the pipe is clear. - LCC / WC to investigate drainage June 2022. - Blockage cleared – No further action required - Further investigation 28/11/2022 found blockage approx. 2m passed the chamber on High Street – will require a dig down to locate and repair. - Works to investigate/clear blockage to be undertaken by LCC Highways. Residents have been informed.	A
22/07 May 2022	Flooding to properties – Broad Oak Ave	- Repeated flooding to residential properties - Residents blame lack of maintenance to local watercourse, although this is a considerable distance from affected area.	Garstang	LCC	UU , WC		UPDATED 23/02/2023	- Flooding reported. Similar to previous flooding 31 Oct 2021 - LCC (FRM) have undertaken CCTV investigation – no issues found. Request to UU for information re discharge from pumping station on Fairfax Close - CCTV survey completed. Meeting to be held between LCC Highways and FRM Team to finalise action plan. United Utilities and FRM Team to exchange information regarding date of flooding and to check if Pumping Station was operating and what volume the pump station outputs. A decision on the identification of the Flooding mechanism from all the available information can then be considered as part of the Action lan and Section 19 Report.	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
21/07	Flooding to Moss Side Lane – road impassable due to overflowing watercourse	<ul style="list-style-type: none"> - EA to look at Whites watercourse which is overflowing onto land to the east. - LCC (Highways) to consider raising road levels 	Great Eccleston	EA	LCC		UPDATED 23/02/2023	<ul style="list-style-type: none"> - Works programmed for the end of March 2022 to restore right bank crest level after overtopping damage. - LCC investigating repeated flooding. - Embankment on Right Bank of Whites Brook repaired in 2022. - The investigation is still ongoing and LCC Highways/ FRM Team are looking at use of portable pumping solution to lower the water levels in the watercourse to enable the inspection of the flap valves to take place. 	A
19/06	Flooding of highway, Carr Lane, Hambleton	<ul style="list-style-type: none"> - Blocked gullies and/or watercourse near to Hambleton paper shop - LCC (Highways) have investigated and will undertake works to redirect highway drainage. 	Hambleton	LCC Highways	UU, WBC		UPDATED 01/06/2022	<p>Ongoing – works undertaken</p> <ul style="list-style-type: none"> - LCC to undertake works to improve local highway drainage. Works to commence in New Year. New sub-group of MSfW formed. - Works to begin 2 March 2020 - See Sub-Group - UU Model shows flooding occurs from 1 in 5 year rainfall and below due to the system being overloaded by surface water during rainfall. Ongoing investigations into the catchment with a proposal to install flow monitors under the capital project Dynamic Network Management (DNM). Approval has already been obtained to mitigate a number of the properties that experience flooding and have been included in the YR22 programme. - LCC to survey drainage from Sandy Lane to culvert under Carr Lane. - WBC / LCC to liaise with resident at Queensland Country Park to look at opening up culverted watercourse. - Highway drains cleared from Sandy Lane to Queensland. Damaged pipe repaired. - Highway drains cleared/repaired. Some outstanding root issues to be resolved summer 2022. 	A
21/02	Bull Park Lane / Shard Lane	<ul style="list-style-type: none"> - Highway flooding on Bull Park Lane 	Hambleton	LCC Highways	EA		03/02/2021	<ul style="list-style-type: none"> - LCC (Highways) to check condition of gully on Bull Park Lane to determine whether the pipe is blocked / broken. 	A
21/05	Possible blocked surface water outfall Marsh Lane (Sandy Lane) FY6 9AW	<ul style="list-style-type: none"> - UU to investigate for blockages and report back to Forum 	Hambleton	EA	LCC		UPDATED 24/02/2023	<ul style="list-style-type: none"> - Planned site inspection by UU Wednesday 24/02/2021 - UU have cleaned surface water pipes but report that watercourse requires desilting. EA to look into. - EA liaising with riparian owners to have watercourse cleared - Watercourse has been cleared – LCC to check gullies and discharge pipe into watercourse. 	A
23/01 26Feb23	Hambleton – private culverted watercourse from Broadpool Lane to Rydal	<ul style="list-style-type: none"> - EA to look at silt levels adjacent to outfall. Previous inspections had shown no increase in silt levels 	Hambleton	EA/LCC	WBC/UU		NEW 26/02/2023		R

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
	Road. End of culvert under water where it discharges to Wardleys watercourse.	- UU to investigate cross connections of foul into surface water							
20/11	Flooding of the highway at the junction of St Johns Ave and School Lane	- LCC to investigate for blocked gullies	Pilling	LCC Highways			UPDATED 17/02/2021	- Query - check with LCC whether cleared. No issues in January 2021	A
20/12	Flooding of highway on Smallwood Hey Road	- LCC to investigate for blocked gullies	Pilling	LCC Highways			UPDATED 17/02/21	- Jan 2021 road still flooding along middle length of road. No complaints of residential flooding.	A
20/13	Flooding of highway on Moss House Lane. Concerns that housing development under construction adjacent to highway is exacerbating flooding	- Wyre Council Engineers and Planners to investigate	Pilling	WBC			UPDATED 26/02/23	- Site inspected by WBC Engineers. - WBC Planners have written to Developer to discuss flooding issues. - Developer is proposing changes to surface water drains to divert water away from watercourse Moss Side Lane. Details awaited. - Revised plans from developers approved - WBC Engineers to inspect and confirm drainage as constructed. - Drainage has been inspected – additional works required by Developer.	A
20/14	Highway drain on Lancaster Road (adjacent Bodkin Hall) blocked	- LCC to investigate for blocked gullies	Pilling	LCC Highways			UPDATED 17/02/21	- Check with LCC (Highways)	A
20/15	Flooding of highway on Carr Lane - Flooding outside Melrose and Ibrox	- LCC to investigate for blocked gullies	Pilling	LCC Highways			UPDATED 17/02/21	- Check with LCC (Highways)	A
20/16	Flooding of highway on Taylors Lane	- LCC to investigate for blocked gullies	Pilling	UU			UPDATED 17/02/21	- Collapsed sewer near to Mill - not repaired. - Surface water flooding	A
21/13	Flooding Wheel Lane	- Investigate flooding on Wheel Lane and complaint re local development	Pilling	LCC Highways / WBC			UPDATED 23/02/2023	- Site visited by WBC and LCC – residents spoken to. Watercourses cleaned out north of flooding. Dye test to be performed to determine where package treatment plant discharges. - Dye tests (17 May 2022) confirm connection to watercourse on Wheel Lane. CCTV inspection of sections of culverted watercourse to be undertaken to look for blockages. - Site visited by WBC and LCC on 4 January – no further issues. Case closed	G
22/06 7 April 2022	Sefton Ave., Poulton	- Flooding of property from field to rear	Poulton	LCC LLFA	EA		UPDATED 23/02/2023	- LCC/WBC visited site with Wainhomes to establish source of flooding. - Wyre BC have continued to speak to Landowner and the extension of the existing bund in the field is the favoured solution. Wyre BC keeping FRM Team informed.	A
19/07	Sunnyside Terrace has suffered a number of flooding events which have included internal flooding to properties – the most recent event was 22 November 2017. The MSfW Group is looking to undertake initial works to carry out works to Green Lane watercourse to ensure that	- LCC to cut back willow tree in Green Lane watercourse to allow free flow in the watercourse. - LCC to undertake desilting works to culvert under Cart Gate. - LCC to undertake desilting works on Green Lane watercourse, including culvert under road. WBC to inform landowners adjacent to watercourse. - LCC to consider other flood mitigation works once the discharge point is cleared.	Preesall	LCC Highways	All		UPDATED 25/11/22	- Desilting of watercourse completed by LCC – approx. 500m cleaned either side of Green Lane. - Walk through of Green Lane East watercourse undertaken (LCC/WBC). - Draft pumping plan written. - LCC to clear/desilt culvert under Cart Gate - practice trial of pumping plan undertaken - LCC to undertake road resurfacing July 2019 including additional gully and to look at road levels to reduce drainage runoff.	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
	<p>there is a clear discharge point for excess flood water.</p> <p>LCC have obtained a grant to undertake capital works to reduce the risk of flooding.</p>	<ul style="list-style-type: none"> - LCC / EA to inspect full length of Green Lane watercourse to its discharge point to River Wyre. - EA to inspect and clear if necessary river outfall. - Update 21/02/19 - LCC (Highways) 						<ul style="list-style-type: none"> - LCC works completed - watercourse cleaned out. - Inspection of northern part of Green Lane East watercourse to be inspected to look at clearing by EA. - New sub-group of MSfW formed to look at works on Preesall Hill.- See Sub-Group - Rivers Trust looking to introduce measures to reduce runoff from Preesall Hill towards Sunnyside Terrace. - Changes to profile of Preesall Hill presents problems with the WRT plans to reduce flows - requires meeting with landowners. - LCC to undertake topographical survey of Preesall Hill to allow revised drainage plan to be drawn up by WRT. - WRT have produced works plan for Preesall Hill. To be presented to residents March 2022 - WRT and WBC discussed use of land for attenuation ponds with landowner – consent to form ponds not agreed – further discussion with landowner’s builder planned. 	
19/08	Watercourse to rear of Meadow Ave, Preesall in urgent need of cleaning and reinstatement. Watercourse takes surface water from Pilling Lane and estate around Meadow Ave.		Preesall	WBC	LCC LLFA/EA		UPDATED 24/02/23	<ul style="list-style-type: none"> - LLFA (FRM Team) to investigate, potential enforcement action required. - Inspected LCC/WBC – WBC to look at community payback as possible option to clear on a one-off basis. - Still outstanding. Site to be inspected as part of community walkabout on 30 May and action planned. - Community Payback have confirmed that they do not wish to undertake this work. MSfW team to look to resolve. - WBC / LCC to issue letter to residents about need for works. - WBC / LCC to look at potential contributions to undertake works. - Watercourse identified as wholly being Developer responsibility. Developer to clear as part of construction works. - Developer has withdrawn current application, although second developer is showing interest. - Walkthrough arranged with FLAG for 3 June from Meadow Ave to Wheelfoot watercourse - May 2022 - LCC investigating watercourses from Wheelfoot watercourse back to Meadow Ave to ensure free flow of water. - FRM continues to work with LCC highways to provide further a access point to the drainage system at Rosslyn Avenue to identify the route of the unmapped outfall from Millstone towards Longacre. This does not appear to be connecting to the separate outfall at Cherrytree/Elfside. Once the mapping is complete the full extent of 	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
								any possible enforcement can be considered without losing the public goodwill being offered by residents during the investigation. Once there is confirmation of working outfalls the remaining lengths of the watercourse will have to be revisited to update the enforcement issues	
19/09	Pilling Lane, Preesall - Highway floods during heavy rainfall events. Road is only passable with care.		Preesall	WBC	LCC LLFA / EA		UPDATED 25/02/23	<ul style="list-style-type: none"> - LLFA (FRM Team) to investigate, potential enforcement action required - Flooding presumed to be linked to Meadows Ave watercourse and to be considered as the same issue - Still outstanding. Site to be inspected as part of community walkabout on 30 May 2018 and action planned. - LCC to investigate - see 19/08 - LCC confirm that there is no connection from Pilling Lane to Meadow Ave. - WBC confirm that surface water discharges from Pilling Lane into watercourse on Meadow Ave. Watercourse requires clearing. - EA planned targeted desilting to remove constructions and aid flows to pumping station. Work scheduled for the end of summer 22. - Targeted desilt carried out by EA Field Ops. 	G
22/08	Sandy Lane – highway gullies are blocked with debris following recent highway works	- Reported to LCC to clear as necessary	Preesall	LCC Highways			23/08/2022	- LCC informed	A
22/09	Park Lane – highway gullies are blocked recenting in flooding to highway	- Reported to LCC to clear as necessary	Preesall	LCC Highways			23/08/2022	- LCC informed. Blockages thought to be caused by roots in connecting pipes	A
22/10	Meadow Ave. – developer has filled in watercourse to improve access to site	- Reported to LCC (Floof Management Team) to investigate	Preesall	LCC LLFA			UPDATED 23/02/2023	<ul style="list-style-type: none"> - LCC informed. Confirmed that developer has blocked watercourse. - The temporary access provided at the development site off Meadow Avenue has been revisited by FRM and Highways and identified that in addition to unconsented works there is damage to the public highway infrastructure. FRM To exchange photographs etc with LPA and Highways. LPA/LLFA/FRM to agree actions required and who leads on which issue 	A
22/11	Property on Parrox Fold discharging water onto Recreation Ground	- Reported to EA/UU	Preesall	EA	UU / WBC		UPDATED 24/02/2023	<ul style="list-style-type: none"> - Reported to EA/UU/WBC. Brief investigation suggests that this may be an unauthorised toilet outfall. - WBC visited site and advised resident. Written confirmation to be sent for resident to remove pipe into Recreation Ground. - No further action required. Case closed 	G
18/26	Rivermede embankment - ongoing monitoring of the embankment at residential property	- Resident to continue to monitor the embankment	St Michaels			R17	UPDATED 01/06/2022	<p>Ongoing.</p> <ul style="list-style-type: none"> - Knotweed treatment has taken place on the embankment and tree removal work is being scoped. The embankment is judged to be stable and EA are liaising with the landowner. 	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
								<ul style="list-style-type: none"> - EA to continue to monitor. - EA are planning minor tree work to lessen flows being directed onto the gabion baskets. - When river is high garden is being flooded by leakage through embankment. What are EA planning to do with gabion baskets? - Programme work for 21/22 to investigate embankment to determine depth and width of gabion baskets and also potential seepage routes. Investigation will inform potential construction work. - Erosion is worsening / baskets are falling apart – Can EA confirm that investigation has been completed – what were findings? - Investigations funded for this year- to determine depth and width of gabion baskets and also potential seepage routes. Investigation will inform potential construction work. - Site investigations to inform formal design due shortly. 	
19/20	Rawcliffe Road, St.Michaels - sewer pipe opposite Catterall Farm is surcharging and discharge into watercourse	- UU to investigate and report back to Forum	St Michaels	UU	EA		UPDATED 23/02/2023	<ul style="list-style-type: none"> - UU are actively investigating. - <u>Agreed that this is not an issue for MSfW but is for UU to resolve.</u> - FLAG asked that this item remain on list as it leads to flooding of highway. - A full survey of the rising main has been completed and the preliminary findings appear to show the rising main to be in good condition. The possibility of taking another sample of the rising main at a location closer to the station is being considered. However, UU are still waiting for the full report before any decision can be made with regard to increasing the pass forward flow (PFF). In the meantime the existing pumps and air valves will be refurbished/serviced to ensure they are ready and capable of delivering the increase in the PFF, should the rising main be structurally sound enough to take the increase in pressure. - The ongoing issues at Rawcliffe Road will form part in the solution development, but implementing the solution will stand alone and require additional investment and approvals. Please see 19/21 - UU to provide update. EA to confirm details of licence / warnings and enforcement. - UU to construct new outfall to watercourse. - UU have completed construction of new outfall to watercourse. No further action for MSfW Group 	G
23/03 26Feb23	Hillylaid watercourse to the rear of Baines School, School Road – concrete debris blocking watercourse.	- Concrete post partially blocking watercourse. Issue to be reported to EA Field Team to remove	Thornton	EA			NEW 26/02/2023	<ul style="list-style-type: none"> - Reported to EA at MSfW meeting 23/02/23. EA to investigate and remove. 	R

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
20/03	White's Bridge on A586 - bridge structure leaking and water flowing onto highway, causing flooding	- LCC to investigate	St Michaels	LCC Highways	EA	I22	UPDATED 17/05/21	- LCC Highway bridge inspector due to inspect. As part of the inspection they will identify any joints on the bridge structure which are allowing ingress. - EA/LCC undertaking surveys re access to properties on Moss Side Lane and flooding of A586	A
20/19	Road Flooding opposite the junction of Rawcliffe Road on the A586 - Mark O'Donnell mentioned that he had a project for this at the March 2019 Flood Forum but not further information has been received following FLAG request		St Michaels	LCC Highways		S16	UPDATED 17/05/2021	- Completed? Check with LCC (Highways)	A
20/24	Frequent highway flooding of A586 between St Michaels Garage and Compton House		St Michaels	LCC Highways		Q16	UPDATED 17/05/21	- LCC to confirm whether works completed.	A
20/25	Bank slump/erosion confluence of New Draught and Old Draught or New Draught and Brock (not sure reported by a bank maintenance person when mowing in late Sept 2010 - not viewed by FLAG)		St Michaels	EA		AC22 or Z/AA 18	UPDATED 25/02/2023	- EA will continue to monitor and bid for funds to repair. Current erosion not yet affecting the raised embankment. - Confirm that it is being monitored. - Being monitored through maintenance programme and asset inspections - Monitoring embankment condition. EA to contact 3rd party landowner to fence off. - This has continued to be monitored as per previous update - EA looking to fund a repair/improvements to the embankment on both sides at this location.	A
21/09	Flooding to Allotment Lane	- Flooding of highway, and sewage flooding to gardens.	St Michaels	LCC Highways	UU		17/05/2021		A
18/15	The Thornton FLAG has asked the EA if they can de-silt sections of the Hillylaid Pool system (assets 347659 and 375191). We had a reply from Paul Bond stating that they hoped to survey the area this summer. Does this mean that they agree with us that the weed cutting isn't sufficient so this will not now be done? Is the survey work to enable them to get the information they require so that they can decide what equipment and manpower will be required to do the de-silting?	- Nothing planned in this year's programme. Community Group can go ahead if they start from upstream end and need to apply for Permit. - Response provided ahead of May 18 WFF	Thornton	EA			UPDATED 25/11/2022	Ongoing See 18/04 - Silt survey to be undertaken on Hillylaid Pool 2020/21 - results to be shared with FLAG. - Routine maintenance will continue as normal. - Survey has been completed and although silt accumulations are present, variations in the hard bed mean that desilting is unlikely to increase flows. - Survey has identified that there is limited benefit to desilting this section. As, the invert level of the Belvedere Road bridge is higher than School Road outfall. We will continue to do our frequent maintenance weed cutting in this section. - EA looking at benefit in undertaking desilting works.	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
								- EA have requested quotation from their works contractor to undertake dredging works – quotation awaited.	
19/14	School Road, Thornton -Several properties on School Road flooded Nov 2017. Source of flooding appears to be surface water from local surface water drains, suspected blocked highway gullies and poor maintenance of watercourse behind properties	- LCC to carry out cleaning of local highway gullies WBC to contact Network Rail re maintenance of watercourse - Inspection of local drainage network to be undertaken to identify issues - WBC to draft flooding report from Nov 2017 to identify issues and propose resolution.	Thornton	WBC	UU		UPDATED 23/02/23	Carried over from MSfW Hot Spots Ongoing - Gullies cleaned 29 May - NR have responded that they are not responsible for the watercourse – WBC to pursue this further - Inspection of watercourse and local drainage carried out by WBC/ Thornton FLAG 22 May - Flooding report in progress – to be presented to FLAG June 2018 - LCC to serve formal notice on Network Rail to undertake maintenance works - UU to look at blocking off outlet in main sewer to prevent flooding on watercourse - NR to clear watercourse - date to be agreed - UU/EA/WBC to inspect outfall to Hillylaid Pool to ensure free discharge/ - NR have completed watercourse works - Known flooding location which is predicted by the model to flood during storm events of less than 1 in 10 years. Consequently major capital investment is required in this part of the catchment to reduce the risk of flooding which is currently being investigated. The public sewers serving School Road are on the planned cleaning schedule to ensure the system operates at its maximum capacity at all times. A number of the properties on School Road have already been fitted with mitigation and UU are looking at the possibility of protecting others. - LCC report that Network Rail will undertake further maintenance works on the watercourse behind School Road in year 2022/23 - LCC (FRM) report that maintenance works have been undertaken. Additional works to culvert (including potential daylighting) to be undertaken. - FRM Team to contact Network Rail to discuss daylighting/maintenance of short culverted section mentioned in report.	A
19/29	Springfield Drive, Thornton - are there any updates re the surface water flooding to Springfield Drive from the Poolfoot Sports facility?	- WBC to update FLAG	Thornton	WBC	UU		UPDATED 27/02/20	Ongoing. - No updates to report at this time. - Location to be included in Wyre investigations.	A
20/07	Flooding to Stanah Road at junction with Cathrow Road	- Suspected blockage in culverted watercourse	Thornton	LCC Highways	UU		UPDATED 24/11/2022	From FLAG / Resident - LCC / UU to inspect to determine what works required. Suspected riparian owner responsibility. - Works delayed; site visit to be arranged.	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
20/08	Royles Brook School, Thornton	- Suspected blockage in culverted watercourse	Thornton	LCC LLFA	UU		UPDATED 23/02/2023	<ul style="list-style-type: none"> - Site visit with FLAG planned for end of June. - Watercourse cleared as far as National Grid site. Awaiting survey from NG on culverted watercourse on their site. - NG confirmed that survey has been undertaken and all blockages cleared. - LCC / UU to inspect to determine what works required. Suspected riparian owner responsibility. - Works delayed; site visit to be arranged - Site visit with FLAG planned for end of June. - UU have inspected drainage in the area. Inspection shows surface water drains have been sealed off. No clear indication as to how local surface water drain discharges. Further investigation to be undertaken on 9 Sept. - UU investigation has found that the section of surface water sewer serving Marsh Road was found to go to ground rather than connecting to the SW sewer coming from Linden Avenue. Due to the invert levels it is not be possible to connect this section up as the sewer from Linden Avenue is higher. Consequently the preliminary investigation appears to show only 2 possible solutions. The first would involve connecting the SW sewer from Marsh Road to the pond located in the school grounds (levels permitting). The other would involve taking the sewer down Wordsworth Avenue until a suitable level could be found to enable it to be connected back into the existing SW sewer. Further work is required to progress a solution and obtain funding. In the meantime UU will look at what can be done to reduce the risk of flooding to the properties. - CCTV investigation undertaken by LCC on 22 August 2022 – works identified. - Further investigation of outfall towards the pond are being organised for the easter holiday period via the School and LCC Highways. LCC highways and FRM continue to investigate the drainage issue at the junction Wordsworth Avenue and Tennyson Avenue. UU/FRM LCC Highways to share information to decide any further action required 	A
20/09	Flooding to property on Aintree Road, Thornton	- Flooding to property - UU to check whether any blockage in surface water drain on Fleetwood Road South	Thornton	UU	LCC		UPDATED 18/02/21	<ul style="list-style-type: none"> - UU undertaking CCTV survey of public surface water drain. - LCC to check highway drains on Aintree Road and Fleetwood Road South - UU have checked the public surface water sewer from Aintree Road to Fleetwood Road South to 80m but no visual as camera underwater. Require LCC/WBC to check for any possible issues with highway drain/outfall. 	A

Incident No.	Description	Action	Location	RMA Lead	Other RMAs	A-Z ref	Date Added	Status	RAG
19/36	Church Lane, Winmarleigh at junction of Old Hall Farm Drive flooded 07/03/19 . Suspected inadequate drainage capacity.		Winmarleigh	LCC Highways			UPDATED 27/02/20	- LCC to investigate. No action to date.	A